

MAGNESIUM CITRATE SALINE LAXATIVE- magnesium citrate liquid QUALITY CHOICE (Chain Drug Marketing Association)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each fl oz)

Magnesium citrate 1.745g

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

Warnings

Do not use

laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- kidney disease
- a magnesium restricted diet
- a sodium restricted diet
- stomach pain, nausea or vomiting
- noticed a sudden change in bowel habits that lasts more than 1 week

Ask a doctor or pharmacist before use if you

are presently taking a prescription drug.

When using this product

do not exceed the maximum recommended daily dosage in a 24 hour period.

Stop use and ask a doctor if

you have rectal bleeding or no bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

| | |
|--|-----------------------------------|
| adults and children 12 years of age and over | 1/2 bottle to 1 bottle (10 fl oz) |
| children 6 to 11 years of age | 1/3 bottle to 1/2 bottle |
| children under 6 years of age | consult a doctor |

Other information

- **each fluid ounce contains:** magnesium 280 mg, sodium 37 mg
- store between 46-86°F (8-30°C). Do not refrigerate.
- protect from excessive heat and freezing
- discard unused product within 24 hours of opening bottle

Inactive ingredients

citric acid, FD&C red #40, flavors, purified water, saccharin sodium, sodium bicarbonate

Questions or Comments?

Call **1-248-449-9300 Monday-Friday 9AM-5PM EST**

Principal Display Panel

Oral Solution

Magnesium Citrate

Saline Laxative

For Relief of Occasional Constipation

Sugar-Free

Cherry Flavor

FL OZ (mL)

TAMPER EVIDENT: DO NOT USE IF THE BREAKAWAY BAND ON CAP IS BROKEN

OR MISSING.

Distributed by C.D.M.A., Inc. ©

43157 W. 9 Mile Rd

Novi, MI 48376-0995

www.qualitychoice.com

Package Label

QC QUALITY CHOICE
NDC 63868-942-10

Oral Solution
Magnesium Citrate
Saline Laxative

For Relief of Occasional Constipation
Sugar-Free
Cherry Flavor

10 fl oz (296 mL)

| | | | | | | | | |
|---|-----------------------------------|--|--|-----------------------------------|-------------------------------|--------------------------|-------------------------------|------------------|
| <p>Drug Facts</p> <p>Active ingredient (in each fl oz) Magnesium citrate 1.745g.....Saline laxative</p> <p>Purpose Saline laxative</p> <p>Uses <ul style="list-style-type: none"> relieves occasional constipation (irregularity) generally produces bowel movement in 1/2 to 6 hours </p> <p>Warnings Do not use laxative products for longer than 1 week unless directed by a doctor. Ask a doctor before use if you have <ul style="list-style-type: none"> kidney disease a magnesium restricted diet a sodium restricted diet stomach pain, nausea, or vomiting noticed a sudden change in bowel habits that lasts more than 1 week </p> <p>Ask a doctor or pharmacist before use if you are presently taking a prescription drug.</p> <p>When using this product, do not exceed the maximum recommended daily dosage in a 24 hour period.</p> <p>Stop use and ask a doctor if you have rectal bleeding or no bowel movement after use. These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p> | | <p>Drug Facts (continued)</p> <p>Directions <ul style="list-style-type: none"> drink a full glass (8 ounces) of liquid with each dose may be taken as a single daily dose or in divided doses </p> <table border="1"> <tr> <td>adults and children 12 years of age and over</td> <td>1/2 bottle to 1 bottle (10 fl oz)</td> </tr> <tr> <td>children 6 to 11 years of age</td> <td>1/3 bottle to 1/2 bottle</td> </tr> <tr> <td>children under 6 years of age</td> <td>consult a doctor</td> </tr> </table> <p>Other information <ul style="list-style-type: none"> each fluid ounce contains: magnesium 280 mg, sodium 37 mg store between 46-86°F (8-30°C). Do not refrigerate. protect from excessive heat and freezing discard unused product within 24 hours of opening bottle </p> <p>Inactive ingredients citric acid, FD&C red #40, flavor, purified water, saccharin sodium, sodium bicarbonate</p> <p>Questions or comments? Call 1-248-449-9300 Monday-Friday 9AM-5PM EST</p> | adults and children 12 years of age and over | 1/2 bottle to 1 bottle (10 fl oz) | children 6 to 11 years of age | 1/3 bottle to 1/2 bottle | children under 6 years of age | consult a doctor |
| adults and children 12 years of age and over | 1/2 bottle to 1 bottle (10 fl oz) | | | | | | | |
| children 6 to 11 years of age | 1/3 bottle to 1/2 bottle | | | | | | | |
| children under 6 years of age | consult a doctor | | | | | | | |

TAMPER EVIDENT: DO NOT USE IF BREAKAWAY BAND ON CAP IS BROKEN OR MISSING.

PLD-J273D
LB003236



Distributed by C.D.M.A., Inc. ©
43157 W 9 Mile Rd
Novi, MI 48375
www.qualitychoice.com
Questions: 248-449-9300



QUALITY CHOICE Magnesium Citrate Cherry Flavor

MAGNESIUM CITRATE SALINE LAXATIVE

magnesium citrate liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:63868-942 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|--------------------|
| MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838) | MAGNESIUM CITRATE | 1.745 g in 29.6 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------|----------|
| | |

| | |
|---|--|
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) | |
| WATER (UNII: 059QF0KO0R) | |
| SACCHARIN SODIUM (UNII: SB8ZUX40TY) | |
| FD&C RED NO. 40 (UNII: WZB9127XOA) | |
| SODIUM BICARBONATE (UNII: 8MDF5V39QO) | |

| Product Characteristics | | | |
|--------------------------------|--------|---------------------|--|
| Color | | Score | |
| Shape | | Size | |
| Flavor | CHERRY | Imprint Code | |
| Contains | | | |

| Packaging | | | | |
|------------------|------------------|--|----------------------|--------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:63868-942-10 | 296 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 08/31/2016 | 05/31/2024 |

| Marketing Information | | | |
|------------------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC monograph not final | part334 | 08/31/2016 | 05/31/2024 |

Labeler - QUALITY CHOICE (Chain Drug Marketing Association) (011920774)

Revised: 11/2021

QUALITY CHOICE (Chain Drug Marketing Association)